

# CERTIFICATE OF REGISTRATION FOR ORGANIC INPUT MATERIALS

**NON TRANSFERABLE** 



**FIRM NO.** 463711


# Firm

SULPHUR MILLS LIMITED 604/605, 349-BUSINESS POINT WESTERN EXPRESS HIGHWAY ANDHERI (E)-400 069 MUMBAI, INTERNTNL 400 069

is authorized to manufacture, distribute or sell in California the products listed below. Registration is not an endorsement by the Department of Food and Agriculture of any product or any claim made for it. No reference may be made to the State of California Department of Food and Agriculture in labeling or advertisements. Registration may be canceled after hearing at any time for just cause. The composition of each product and the label used on it must be the same as those submitted by the registrant.

# Organic Input Material

1. TECHNO-S. Issued: Jul 7, 2020. Expires: Dec 31, 2021.





# **SULFUR 90% MICROGRANULES**

**GUARANTEED ANALYSIS** 

Sulfur (S)

90.0%

90.0% Free Sulfur (S)

**Derived from elemental Sulfur** 

F002402



# AGRICULTURAL, TURF AND ORNAMENTAL USE

# **NET WEIGHT:**

15 lbs (6.8 kg)



Sales Agent: Tiger-Sul Products LLC Corporate Headquarters 4 Armstrong Road, Suite 220 Shelton, CT 06484 203-635-0190 (phone) 203-227-8351 (fax) www.tigersul.com



Manufactured and guaranteed by: Sulphur Mills Limited.

Patent No.: US8241387

604/605, 349 Business Point,

Western Express Highway, Andheri (E)

Mumbai 400 069, India Tel: +91-22-43452222

Fax: +91-22-43452245 Website: www.sulphurmills.com THE CHILD STATE OF THE PROPERTY OF THE CHILD STATE OF THE CHILD STATE

# KEEP OUT OF REACH OF CHILDREN AND AWAY FROM PETS

## PRECAUTIONARY STATEMENTS

Prevention: WEAR GOGGLES, GLOVES AND DUST MASK WHEN HANDLING. Avoid breathing dusts or fumes. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye protection. Do not eat, drink or smoke when using this product.

Response: IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical attention. Take off contaminated clothing and wash before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison control centre or doctor if you feel unwell.

IF IN EYES: Wash with water for several minutes. Remove contact lens if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention.

For Emergency Medical Information call the National Poison Control Center at 1-800-222-1222.

FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL: CHEMTREC 1-800-424-9300

Information regarding the contents and levels of metals in this product is available on the internet at <a href="http://www.aapfco.org/metals.html">http://www.aapfco.org/metals.html</a>

#### PRODUCT DESCRIPTION

TECHNO-S is a soil fertilizer formulated as water-dispersible micro-granules containing elemental sulfur that can be used as a source of sulfur for plants in an overall nutrient program. TECHNO-S has a sulfur particle size in the range of 2 – 4 microns. These small particles allow for faster conversion into sulphate of sulfur particles than larger particles. TECHNO-S, due to its water dispersible micro-granule formulation, provides flexibility in application methods such as, ground spray, fertigation with drip or overhead sprinkler irrigation, side dressing / drenching, soil injection.

#### PHYSICAL PROPERTIES

Analysis : 90% Sulfur	
Color	Brown granules
Particle size of elemental sulfur	2-4 micron
Granule size	0.1 - 0.5 mm

#### USE DIRECTIONS (COMMERCIAL USE ONLY)

Use TECHNO-S in an overall nutrient program as a source of sulfur for sulfur deficient crops. Application rates and timings should be based on agronomic recommendations from soil tests and/or crop uptake rates of sulphate. For one (1) pound of sulfur apply 1.11 pounds of TECHNO-S.

TECHNO-S may be applied by drip or overhead sprinkler irrigation, side dressing/drenching or soil injection or ground spray, side dressing / drenching or soil injection.

**TECHNO-S** may also be applied by conventional ground spray equipment with appropriate screen and nozzle size adjustments. This application method should be limited to bare ground treatment. Application may be conducted in spring or fall.

#### MIXING INSTRUCTIONS:

Fill the tank with half of total required water volume and start agitation before adding the product. Add recommended amount of TECHNO-S slowly and continue agitation until completely mixed. Fill the tank with remainder of water. Inject the mixed solution into a pressurized drip system. After injection of solution is completed, run the plain water into drip irrigation system to clean the drip system.

For making TECHNO-S solution in water, add a minimum 1 lb of TECHNO-S per 20 lbs of water (2.5 gallons).

Maintain constant agitation of solution to keep the suspension stable during application

No TECHNO-S product should remain at the bottom of the tank, Clean the filters before the injection and after the injection is completed.

TECHNO-S can be mixed with other water soluble fertilizers except calcium based fertilizer. Check chemical mixture compatibility using jar test prior to application.

Store TECHNO-S in closed original packaging in a dry, well-ventilated area away from human and animal habitation. TECHNO-S should not be blended or stored with strong oxidizing agents such as ammonium nitrate. Keep away from heat, sparks, open flames, and hot surfaces. Accepted blending and handling procedures should be followed when using TECHNO-S. Good housekeeping is necessary when handling sulfur products. Always use stringent dust control procedures to prevent concentrated flammable dusts from reaching a spark or flame source to remove explosion hazard.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Sulphur Mills Limited. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: SULPHUR MILLS LIMITED MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. NO AGENT OF SULPHUR MILLS LIMITED IS AUTHORIZED TO MAKE ANY WARRANTIES BEYOND THOSE CONTAINED HEREIN OR TO MODIFY THE WARRANTIES CONTAINED HEREIN, SULPHUR MILLS LIMITED DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT SULPHUR MILLS LIMITED ELECTION, THE REPLACEMENT OF PRODUCT.



WARNING Causes skin and eye irritation. Harmful if inhaled.





# SULFUR 90% MICROGRANULES

**GUARANTEED ANALYSIS** 

Sulfur (S)

90.0%

90.0% Free Sulfur (S)

**Derived from elemental Sulfur** 


F002402

**AGRICULTURAL, TURF AND ORNAMENTAL USE** 

# **NET WEIGHT:**

2,000 lbs (907.2 kg)







Sales Agent: Tiger-Sul Products LLC Corporate Headquarters 4 Armstrong Road, Suite 220 Shelton, CT 06484 203-635-0190 (phone) 203-227-8351 (fax) www.tigersul.com



Manufactured and guaranteed by: Sulphur Mills Limited. 604/605, 349 Business Point,

604/605, 349 Business Point, Western Express Highway, Andheri (E) Mumbai 400 069, India

Tel: +91-22-43452222 Fax: +91-22-43452245

Website: www.sulphurmills.com

Hespelate a Hand Selection of the Control of the Co Actions 2 and Health of the all the land of the land o

# TECHNO

# **KEEP OUT OF REACH OF CHILDREN AND** AWAY FROM PETS



WARNING Causes skin and eye irritation. Harmful if inhaled.

#### PRECAUTIONARY STATEMENTS

Prevention: WEAR GOGGLES, GLOVES AND DUST MASK WHEN GOGGLES, HANDLING, Avoid breathing dusts or Wash thoroughly fumes. handling. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye protection. Do not eat, drink or smoke when using this product.

Response: IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical attention. Take off contaminated clothing and wash before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison control centre or doctor if you feel unwell.

IF IN EYES: Wash with water for several minutes. Remove contact lens if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention.

For Emergency Medical Information call the National Poison Control Center at 1-800-222-1222.

FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL: CHEMTREC 1-800-424-9300

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html

### PRODUCT DESCRIPTION

TECHNO-S is a soil fertilizer formulated as water-dispersible micro-granules containing elemental sulfur that can be used as a source of sulfur for plants in an overall nutrient program. TECHNO-S has a sulfur particle size in the range of 2 - 4 microns. These small particles allow for faster conversion into sulphate of sulfur particles than larger particles. TECHNO-S, due to its water dispersible micro-granule formulation, provides flexibility in application methods such as, ground spray, fertigation with drip or overhead sprinkler irrigation, side dressing / drenching, soil injection.

# PHYSICAL PROPERTIES

Analysis : 90% Sulfur	
Color	Brown granules
Particle size of elemental sulfur	2-4 micron
Granule size	0.1 - 0.5 mm

# USE DIRECTIONS (COMMERCIAL USE ONLY)

Use TECHNO-S in an overall nutrient program as a source of sulfur for sulfur deficient crops. Application rates and timings should be based on agronomic recommendations from soil tests and/or crop uptake rates of sulphate. For one (1) pound of sulfur apply 1.11 pounds of TECHNO-S.

TECHNO-S may be applied by drip or overhead sprinkler irrigation, side dressing/drenching or soil injection or ground spray, side dressing / drenching or soil injection.

TECHNO-S may also be applied by conventional ground spray equipment with appropriate screen and nozzle size adjustments. This application method should be limited to bare ground treatment. Application may be conducted in spring or fall.

#### MIXING INSTRUCTIONS:

Fill the tank with half of total required water volume and start agitation before adding the product. Add recommended amount of TECHNO-S slowly and continue agitation until completely mixed. Fill the tank with remainder of water. Inject the mixed solution into a pressurized drip system. After injection of solution is completed, run the plain water into drip irrigation system to clean the drip system.

For making TECHNO-S solution in water, add a minimum 1 lb of TECHNO-S per 20 lbs of water (2.5 gallons).

Maintain constant agitation of solution to keep the suspension stable during application

No TECHNO-S product should remain at the bottom of the tank. Clean the filters before the injection and after the injection is completed.

TECHNO-S can be mixed with other water soluble fertilizers except calcium based fertilizer. Check chemical mixture compatibility using jar test prior to application.

Store TECHNO-S in closed original packaging in a dry, well-ventilated area away from human and animal habitation. TECHNO-S should not be blended or stored with strong oxidizing agents such as ammonium nitrate. Keep away from heat, sparks, open flames, and hot surfaces. Accepted blending and handling procedures should be followed when using TECHNO-S. Good housekeeping is necessary when handling sulfur products. Always use stringent dust control procedures to prevent concentrated flammable dusts from reaching a spark or flame source to remove explosion hazard.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Sulphur Mills Limited. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: SULPHUR MILLS LIMITED MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. NO AGENT OF SULPHUR MILLS LIMITED IS AUTHORIZED TO MAKE ANY WARRANTIES BEYOND THOSE CONTAINED HEREIN OR TO MODIFY THE WARRANTIES CONTAINED HEREIN, SULPHUR MILLS LIMITED DISCLAIMS ANY LIABILITY WHATSOEVER INCIDENTAL OR CONSEQUENTIAL SPECIAL. DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT SULPHUR MILLS LIMITED ELECTION, THE REPLACEMENT OF PRODUCT.





# SULFUR 90% MICROGRANULES

**GUARANTEED ANALYSIS** 

Sulfur (S)

90.0%

90.0% Free Sulfur (S)


**Derived from elemental Sulfur** 

F002402

**AGRICULTURAL, TURF AND ORNAMENTAL USE** 

# **NET WEIGHT:**

50 lbs (22.7 kg)



Patent No.: US8241387



Sales Agent: Tiger-Sul Products LLC Corporate Headquarters 4 Armstrong Road, Suite 220 Shelton, CT 06484 203-635-0190 (phone) 203-227-8351 (fax) www.tigersul.com



Manufactured and guaranteed by: Sulphur Mills Limited.

604/605, 349 Business Point,

Western Express Highway, Andheri (E)

Mumbai 400 069, India Tel: +91-22-43452222

Fax: +91-22-43452245 Website: www.sulphurmills.com TECHNO-SILVER TE

# KEEP OUT OF REACH OF CHILDREN AND AWAY FROM PETS

PRECAUTIONARY STATEMENTS

Prevention: WEAR GOGGLES, GLOVES AND DUST MASK WHEN HANDLING. Avoid breathing dusts or fumes. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye protection. Do not eat, drink or smoke when using this product.

Response: IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical attention. Take off contaminated clothing and wash before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison control centre or doctor if you feel unwell.

IF IN EYES: Wash with water for several minutes. Remove contact lens if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention.



FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL: CHEMTREC 1-800-424-9300

Information regarding the contents and levels of metals in this product is available on the internet at <a href="http://www.aapfco.org/metals.html">http://www.aapfco.org/metals.html</a>

# PRODUCT DESCRIPTION

TECHNO-S is a soil fertilizer formulated as water-dispersible micro-granules containing elemental sulfur that can be used as a source of sulfur for plants in an overall nutrient program. TECHNO-S has a sulfur particle size in the range of 2 – 4 microns. These small particles allow for faster conversion into sulphate of sulfur particles than larger particles. TECHNO-S, due to its water dispersible micro-granule formulation, provides flexibility in application methods such as, ground spray, fertigation with drip or overhead sprinkler irrigation, side dressing / drenching, soil injection.

## PHYSICAL PROPERTIES

Analysis: 90% Sulfur		
Color	Brown granules	
Particle size of elemental sulfur	2-4 micron	
Granule size	0.1 - 0.5 mm	

#### USE DIRECTIONS (COMMERCIAL USE ONLY)

Use TECHNO-S in an overall nutrient program as a source of sulfur for sulfur deficient crops. Application rates and timings should be based on agronomic recommendations from soil tests and/or crop uptake rates of sulphate. For one (1) pound of sulfur apply 1.11 pounds of TECHNO-S.

**TECHNO-S** may be applied by drip or overhead sprinkler irrigation, side dressing/drenching or soil injection or ground spray, side dressing / drenching or soil injection.

TECHNO-S may also be applied by conventional ground spray equipment with appropriate screen and nozzle size adjustments. This application method should be limited to bare ground treatment. Application may be conducted in spring or fall.

## MIXING INSTRUCTIONS:

Fill the tank with half of total required water volume and start agitation before adding the product. Add recommended amount of TECHNO-S slowly and continue agitation until completely mixed. Fill the tank with remainder of water. Inject the mixed solution into a pressurized drip system. After injection of solution is completed, run the plain water into drip irrigation system to clean the drip system.

For making TECHNO-S solution in water, add a minimum 1 lb of TECHNO-S per 20 lbs of water (2.5 gallons).

Maintain constant agitation of solution to keep the suspension stable during application

No TECHNO-S product should remain at the bottom of the tank. Clean the filters before the injection and after the injection is completed.

**TECHNO-S** can be mixed with other water soluble fertilizers except calcium based fertilizer. Check chemical mixture compatibility using jar test prior to application.

Store TECHNO-S in closed original packaging in a dry, well-ventilated area away from human and animal habitation. TECHNO-S should not be blended or stored with strong oxidizing agents such as ammonium nitrate. Keep away from heat, sparks, open flames, and hot surfaces. Accepted blending and handling procedures should be followed when using TECHNO-S. Good housekeeping is necessary when handling sulfur products. Always use stringent dust control procedures to prevent concentrated flammable dusts from reaching a spark or flame source to remove explosion hazard.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Sulphur Mills Limited. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: SULPHUR MILLS LIMITED MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. NO AGENT OF SULPHUR MILLS LIMITED IS AUTHORIZED TO MAKE ANY WARRANTIES BEYOND THOSE CONTAINED HEREIN OR TO MODIFY THE WARRANTIES CONTAINED HEREIN. SULPHUR MILLS LIMITED DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT SULPHUR MILLS LIMITED ELECTION, THE REPLACEMENT OF PRODUCT.



A A CHO

WARNING Causes skin and eye irritation. Harmful if inhaled.