

# Safety Data Sheet

# **TIGER MICRONUTRIENTS<sup>®</sup> Iron 22%**

# **SECTION 1. IDENTIFICATION**

Product Identifier	TIGER MICRONUTRIENTS <sup>®</sup> Iron 22%
Other Means of Identification	Tiger Fe; Sulphur and Iron Oxide
Recommended Use	Plant nutrient fertilizer.
Restrictions on Use	Always follow safe handling practices.
Manufacturer/Supplier Identifier	Tiger-Sul Products LLC -Hwy 31 West Industrial Park P.O. Box 5; Atmore, AL; 36504, USA., Tiger-Sul Products LLC -61 Stork Rd; Stockton, CA; 95203, USA. Tiger-Sul (Canada) Co, -275137 Range Road 263 P.O. Box 126; Irricana, AB; T0M 1B0, Canada.
Emergency Phone No.	CHEMTREC, (800) 424-9300 -24 hrs Atmore Toll free, (800) 239-3647 Irricana Toll free, (877) 299-3399 Stockton Toll free, (877) 299-3399

### **SECTION 2. HAZARD IDENTIFICATION**

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015) and the US Hazard Communication Standard (HCS 2012).

#### Classification

Combustible dust - Category 1; Acute toxicity (Dermal) - Category 4; Skin irritation - Category 2; Eye irritation - Category 2A; Skin sensitization - Category 1B; Carcinogenicity - Category 1A Label Elements



May form combustible dust concentrations in air. May cause cancer. Causes skin and eye irritation. May be harmful if swallowed, in contact with skin or if inhaled.

**Other Hazards** 

None known.

Product Identifier:	TIGER MICRONUTRIENTS® Iron 22% - Ver. 1
Date of Preparation:	August 18, 2017
Date of Last Revision:	March 1, 2024

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixturo

Chemical Name	CAS No.	%	Other Identifiers	Other Names
SULPHUR	7704-34-9	55.0 - 58.35	EU EINECS/ELINCS Number: 231-722-6	S
MAGNETITE	1309-38-2	30.8 - 33.0	EU EINECS/ELINCS Number: 215-169-8	MAGNETIC IRON OXIDE
BENTONITE	1302-78-9	9 - 11	EU EINECS/ELINCS Number: 215-108-5	CLAY
SILICA QUARTZ	14808-60-7	0.71 - 0.94	EU EINECS/ELINCS Number: 238-878-4	SiO2

# SECTION 4. FIRST-AID MEASURES

#### **First-aid Measures**

#### Inhalation

Take precautions to ensure your own safety before attempting rescue (e.g. wear appropriate protective equipment). Skin Contact

Avoid direct contact. Wear chemical protective clothing if necessary. Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes.

#### Eye Contact

Wear eye protection to avoid dust getting into eyes. If contact and irritation occurs rinse the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do.

#### **First-aid Comments**

Get medical advice or attention if you feel unwell or are concerned.

#### Most Important Symptoms and Effects, Acute and Delayed

If in eyes: may cause moderate to severe irritation. Symptoms include sore, red eyes, and tearing. If on skin: may cause mild to moderate irritation

If inhaled: repeated or long term inhalation can cause respiratory problems (SILICA, QUARTZ).

#### **Immediate Medical Attention and Special Treatment**

**Target Organs** None known. Special Instructions Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

#### **Extinguishing Media**

#### Suitable Extinguishing Media

Water spray or fog is preferred If water is not available, use Carbon dioxide, dry chemical powder or appropriate foam. Small fires may be smothered with sand.

#### **Unsuitable Extinguishing Media**

Avoid scattering spilled material with high pressure water streams.

#### **Specific Hazards Arising from the Product**

Combustible dust. Powder may form explosive dust-air mixture. Combustion products include Sulphur Dioxide and Hydrogen Sulphide.

#### **Special Protective Equipment and Precautions for Fire-fighters**

Wear positive pressure self-contained breathing apparatus (SCBA) Structural firefighters' protective clothing will only provide limited protection.

Chemical protective clothing (e.g. chemical splash suit) and positive pressure SCBA may be necessary. Hydrogen Sulphide is heavier than air and may collect in low lying areas and confined spaces.

Product Identifier:	TIGER MICRONUTRIENTS® Iron 22% - Ver. 1
Date of Preparation:	August 18, 2017
Date of Last Revision:	March 1, 2024

# SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment, and Emergency Procedures

Do not touch damaged containers or spilled product unless wearing appropriate protective equipment. Use the personal protective equipment recommended in Section 8 of this safety data sheet.

#### **Environmental Precautions**

Prevent uncontrolled release to the environment.

#### Methods and Materials for Containment and Cleaning Up

Avoid generating dust. Avoid dry sweeping. If necessary, use a dust suppressant such as water. Do not use compressed air for clean-up.

# SECTION 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Avoid breathing in this product. Avoid repeated or prolonged skin contact. Do not get in eyes. Conditions for Safe Storage

Store in an area that is: cool, well-ventilated, out of direct sunlight and away from heat and ignition sources.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

	ACGIH TLV®		OSHA PEL		AI		
Chemical Name	TWA	STEL	тwa	Ceiling	8-hr TWA	ТWA	
SULFUR	10 mg/m3	N.AV.	15 mg/m3	N.AV.	N.AV.	N.AV.	
BENTONITE	1 mg/m3	10 mg/m3	N.AV.	N.AV.	N.AV.	N.AV.	
SILICA QUARTZ	0.025 mg/m3	N.AV.	10 mg/m3	N.AV.	N.AV.	N.AV.	
MAGNETITE	5 mg/m3	N.AV.	10 mg/m3	N.AV.	N.AV.	N.AV.	

#### **Appropriate Engineering Controls**

Do not allow product to accumulate in the air in work or storage areas, or in confined spaces. Use local exhaust ventilation and enclosure, if necessary, to control amount in the air. Provide eyewash in work area, if contact or splash hazard exists.

#### **Individual Protection Measures**

Eye/Face Protection

Wear chemical safety goggles.

**Skin Protection** 

Wear long sleeved clothing and impervious gloves.

#### **Respiratory Protection**

For non-routine or emergency situations: wear a NIOSH approved self-contained breathing apparatus (SCBA) or supplied air respirator.

#### **Basic Physical and Chemical Properties**

Appearance	Dark grey pastilles. Particle Size: 280 SGN
Odour	Not applicable
Odour Threshold	Not applicable
рН	Not available
Melting Point/Freezing Point	115 °C (239 °F) (SULFUR) (melting); Not applicable (freezing)
Initial Boiling Point/Range	Not available
Flash Point	207 °C (405 °F) (closed cup) (SULFUR)
Evaporation Rate	Not applicable
Flammability (solid, gas)	Flammable solid. (SULFUR)
Upper/Lower Flammability or	0.14% (SULFUR) (upper); 0.0035% (SULFUR) (lower)
Explosive Limit	
Vapour Pressure	Not applicable
Vapour Density (air = 1)	Not applicable
Relative Density (water = 1)	Not applicable
Solubility	Insoluble in water; Not available (in other liquids)
Partition Coefficient,	Not applicable
n-Octanol/Water (Log Kow)	
Auto-ignition Temperature	232 °C (450 °F) (SULFUR)
Decomposition Temperature	Not available
Viscosity	Not applicable (kinematic); Not applicable (dynamic)
Other Information	
Physical State	Solid
Bulk Density	86 lb/ft3
Vapour Pressure at 50 deg C	Not applicable
-	

# SECTION 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions of use.

#### **Chemical Stability**

Normally stable.

#### **Possibility of Hazardous Reactions**

None expected under normal conditions of storage and use. Reacts in the presence of high energy sources (e.g. welding arcs). Dust may cause a fire or explosion.

#### **Conditions to Avoid**

Open flames, sparks, static discharge, heat and other ignition sources.

# Incompatible Materials

Oxidizing agents (e.g. peroxides).

#### **Hazardous Decomposition Products**

Sulphur Dioxide Hydrogen Sulfide.

# SECTION 11. TOXICOLOGICAL INFORMATION

#### Likely Routes of Exposure

Inhalation; skin contact; eye contact.

#### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
SULFUR	> 0.047 mg/L (rat) (4-hour exp)	> 5000 mg/kg (rat)	N.AV.
BENTONITE	N.AV.	5000 mg/kg (rat)	N.AV.
SILICA QUARTZ	N.AV.	500 mg/kg (rat)	N.AV.
MAGNETITE	N.AV.	> 10000 mg/kg (rat)	N.AV.

0% of the mixture consists of ingredients of unknown toxicity 1264 mg/kg Acute Dermal Toxicity Estimate

#### Skin Corrosion/Irritation

May cause irritation to skin, eyes and respiratory tract.

#### Serious Eye Damage/Irritation

Can cause serious eye irritation.

#### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

May cause nose and throat irritation.

#### Skin Absorption

May cause skin to become sensitive to sunlight (ultraviolet light).

#### Ingestion

May be harmful If large amounts are swallowed symptoms may include nausea, vomiting, stomach cramps and diarrhea.

#### Aspiration Hazard

No information was located.

#### STOT (Specific Target Organ Toxicity) - Repeated Exposure

If inhaled: lung injury, irritation of the respiratory system. May cause respiratory tract injury.

#### Respiratory and/or Skin Sensitization

May cause an allergic reaction (skin sensitization) based on limited evidence.

#### Carcinogenicity

If inhaled: lung cancer. A1 – Confirmed human carcinogen. (SILICA QUARTZ)

#### **Reproductive Toxicity**

Development of OffspringNo information was located.Sexual Function and FertilityNo information was located.Effects on or via LactationNo information was located.

#### Germ Cell Mutagenicity

No information was located.

Interactive Effects No information was located.

Product Identifier:	TIGER MICRONUTRIENTS® Iron 22% - Ver. 1
Date of Preparation:	August 18, 2017
Date of Last Revision:	March 1, 2024

# SECTION 12. ECOLOGICAL INFORMATION

Avoid uncontrolled release.

#### Ecotoxicity

#### Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
SULFUR	< 14 mg/L (Lepomis macrochirus (bluegill); 96-hour; fresh water; static)	<ul> <li>&gt; 5000 mg/L (Daphnia magna (water flea); 48-hour; fresh water; static) fresh water)</li> </ul>	N.AV.	N.AV.
BENTONITE	19000 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour; fresh water; static)	N.AV.	N.AV.	N.AV.
MAGNETITE	> 180 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour; fresh water; static)	N.AV.	N.AV.	N.AV.

#### Persistence and Degradability

No ingredient of this product or its degradation products is known to be highly persistent.

#### **Bioaccumulative Potential**

This product and its degradation products are not known to bioaccumulate.

#### Mobility in Soil

If released into the environment, this product is expected to move slowly through the soil, based on physical and chemical properties.

#### **Other Adverse Effects**

There is no information available.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal Methods**

Dispose of contents and container in accordance with local, regional, national and international regulations.

### SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations. Not regulated under US DOT Regulations.

Environmental Not applicable Hazards

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Product Identifier:	TIGER MICRONUTRIENTS® Iron 22% - Ver. 1
Date of Preparation:	August 18, 2017
Date of Last Revision:	March 1, 2024

# **SECTION 15. REGULATORY INFORMATION**

#### Safety, Health and Environmental Regulations

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

#### Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

Listed on the DSL.

#### USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

#### Additional USA Regulatory Lists

Listed Pennsylvania Right To Know. (SULFUR). (SILICA QUARTZ)

▲ WARNING: This product can expose you to chemicals including crystalline silica, which is known to the State of California to cause cancer when inhaled. For more information, go to www.P65Warnings.ca.gov.

This product does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

# **SECTION 16. OTHER INFORMATION**

NFPA Rating	Health - 2 Based on	Flammability - 1 SULPHUR	Instability – 0
SDS Prepared By Phone No. Date of Preparation Date of Last Revision	Tiger-Sul (877) 299-33 August 18, 2 : March 1, 201	017	
Revision Indicators	-		anged on 12/21/2018: Updated California Proposition 65 NCS Numbers, updated bulk density average.
Key to Abbreviations	NFPA = Nati NIOSH = Na	onal Fire Protection Ast tional Institute for Occ	of Governmental Industrial Hygienists ssociation upational Safety and Health nd Health Administration
Disclaimer	purposes. It law or regula practice nece sources cons	is not to be construed ition. The user is respo essary safety precautio	colely for information, consideration, and investigation as recommending any practice or product in violation of any possible to determine the suitability of the material for use and ons. The information presented has been compiled from ble and is reliable to the best of our knowledge and is not to ality specification.



Product Identifier:	TIGER MICRONUTRIENTS® Iron 22% - Ver. 1
Date of Preparation:	August 18, 2017
Date of Last Revision:	March 1, 2024